Interconnection Application

Persons interested in applying for the interconnection of a distributed energy resource to the Utility's distribution system through the Fast Track or Study Processes are to fill out this Interconnection Application. The Interconnection Application is to be filled out completely by the applicant or as noted in each section of the application. The Utility will contact the applicant within 10 business days once the Interconnection Application and the corresponding processing fee is submitted to the Utility. The Utility will then notify the applicant of the completeness of their application. If the application is deemed incomplete by the Utility, the Utility will provide the applicant with a list of missing material. The applicant will then have 10 business days to provide the Utility with this information or request an extension, otherwise the application will be deemed incomplete and the applicant will lose their place in the queue. Section that are noted with * are required to be filled out.

Checklist for Submission to Utility

The items below shall be included with submittal of the Interconnection Application to the Utility. Failure to include all items will deem the Interconnection Application incomplete.

	Included		
Non-Refundable Processing Fee			
Fast Track			
 \$100 + \$1/kW for Certified Systems 			
 \$100 + \$2/kW for Non-Certified Systems 	🗆 Yes		
Study Process			
 \$1,000 + \$2/kW down payment. Additional study fees may apply. 			
One-line diagram			
 This one-line diagram must be signed and stamped by a Professional 			
Engineer licensed in Minnesota if the DER is uncertified greater than 20 kW			
AC or if certified system is over 250 kW.	□ Yes		
 Details required on one-line diagram specified at the end of the 			
interconnection application.			
Schematic drawings for all protection and control circuits, relay current circuits,	□ Yes		
relay potential circuits, and alarm/monitoring circuits			
Inverter Specification Sheet(s) (if applicable)	□ Yes		
Documentation that describes and details the operation of protection and control	□ Yes		
schemes			
Documentation showing site control	🗆 Yes		
Aerial map showing DER system layout including major roadways and true north	🗆 Yes		
Possible Additional Documentation			
If the DER export capacity is limited, include information material explaining	the limiting		
capabilities.	-		
If Energy Storage is included with the proposed DEP system include the Energy Storage			

 If Energy Storage is included with the proposed DER system include the Energy Storage Application.

General *					
Select Review Proce	ss: 🛛 Fast Track Proce	ess	□ Study Process		
Application is for:			apacity Addition or Material Modification o Existing Distributed Energy Resource		
If Capacity Addition	or Material Modification to existin	g faci	lity, please describe:		
Distributed Energy Resource will be used for what reason? (Check all that apply):					
Net Metering Supply Power to Interconnection Customer					
□ Supply Power to Area EPS					
Installed DER System Cost (before incentives): \$			\$		

Interconnection Customer *				
Full Name (must match the name of the existing se	rvice account):			
Account Number:	Meter Number:			
Mailing Address:				
City:	State	:	Zip Code:	
Email:	Phone	e:		

Application Agent *					
Is the Customer using an Application Agent for this application?	🗆 Yes 🛛 No				
If Interconnection Customer is not using an Application Agent,	please skip to the next section.				
Application Agent:					
Company Name:					
Email:	Phone:				

Distributed Energy Resource Information *						
Estimated Installation	n Date:					
Location (if different	from mailing a	ddress of Interc	onnection Custom	ner):		
Will the Proposed DE	R system be in	terconnected to	an existing electr	ic service?	□ Yes	□ No
Is the Distributed Ene	ergy Resource a	a single generati	ng unit or multiple	e?□S	ingle 🛛	Multiple
DER Type (Check all t	hat apply):					
□ Solar Photovoltaic	2	□ Wind		D E	nergy Stor	age
Combined Heat ar	□ Combined Heat and Power □ Solar Thermal □ Other (please speci			se specify)		
DER systems with	Energy Storage	e must also subr	nit the Energy Sto	rage Applica	ition to the	e Utility.
Total Number of Dist	ributed Energy	Resources to be	2			
interconnected pursu	uant to this Inte	erconnection Ap	plication:			
Phase configuration of Distributed Energy Resource(s):					nree Phase	
Type of Generator: Inverter Synchronous Induction			n			
Aggregate DER Capacity (the sum of nameplate capacity of all generation and storage devices at the PCC):						
		kW _{ac}				kVA _{ac}

Export Capacity Limitation *				
Is the export capability of the DER limited?	□ Yes	□ No		
If the DER export capacity is limited, complete the following sections and include information material explaining the limiting capabilities.				
Maximum Physical Export Capacity Requested:		kW _{ac}		
If Yes, please provide additional details describing method of export limitation:				

Load Information *	
Interconnection Customer's or Customer-sited Load:	kW _{ac}
Typical Reactive Load (if known):	

Eq	Equipment Certification *				
ls t	Is the DER equipment certified?				
	Please list all IEEE 1547 certified equipment below. Include all certified equipment manufacturer specification sheets with the Interconnection Application submission.				
	Equipment Type	Certifying Entity			
1					
2					
3					
4					

Prime Mover *							
Please indicate the prin	me mover:						
Solar Photovoltaic		□ Microturb	ine	🗆 Fu	iel Cell	I	
□ Reciprocating Engin	e	🛛 Gas Turbir	ne	□ Ot	Other (please specify)		īy)
Is the prime mover cor	npatible with	certified prote	ection equip	ment packag	ge?	□ Yes	□ No
DER Manufacturer:		Model Name & Number:			Versi	on:	
List of Adjustable Set Points for Protection Equipment or Software:							
Summer Name Plate Rating: kW_{ac} Summer Name Plate Rating: kW_{ac}					kW _{ac}		
Winter Name Plate Rating: kVA_{ac} Winter Name Plate Rating: kVA_{ac}					kVA _{ac}		
Rated Power Factor:	Leading:			Lagging:			
A completed Power System Load Flow data sheet must be supplied with the Interconnection Application.							

Only appropriate sections beyond this point until the signature page are to be completed.

Distributed Energy Resource Characteristic Data (for Inverter-based machines)

Max design fault contribution current:	
Is your response to the previous field an Instantaneous or RMS measurement?	🗆 Instantaneous 🛛 RMS
Harmonic Characteristics:	
Start-up Requirements:	

Distributed Energy Resource Characteristic Data (for Synchronous machines)

RPM Frequency:	Neutral Grounding Resistor:
Direct Axis Synchronous Reactance, X_d :	Zero Sequence Reactance, X_0 :
Direct Axis Transient Reactance, X'_d :	KVA Base:
Direct Axis Subtransient Reactance, X''_d :	Field Volts:
Negative Sequence Reactance, X_2 :	Field Amperes:

Please provide the appropriate IEEE model block diagram of excitation system, governing system and power system stabilizer (PSS) in accordance with the regional reliability council criteria. A PSS may be determined to be required by applicable studies. A copy of the manufacturer's block diagram may not be submitted.

Distributed Energy Resource Characteristic Data (for Induction machines)

RPM Frequency:	Neutral Grounding Resistor:
Motoring Power (kW):	Exciting Current:
Heating Time Constant:	Temperature Rise:
Rotor Resistance, R_r :	Frame Size:
Stator Resistance, R _s :	Design Letter:
Stator Reactance, X _s :	Reactive Power Required In Vars (No Load):
Rotor Reactance, X_r :	Reactive Power Required In Vars (Full Load):
Magnetizing Reactance, X_m :	Total Rotating Inertia, H:
Short Circuit Reactance, X''_d :	

Interconnection Fo	ailitian I	nformation					
Interconnection Fac					1		
Will a transformer be used between the DER and the Point of					🗆 Yes	🗆 No	
Common Coupling? Will the transformer be provided by the Interconnection Customer?							
If yes, please fill in the fie	elds belov	w.				□ Yes	□ No
Proposed location of pro	tective ir	nterface equipme	nt on p	property:			
				_	_		
Transformer Data (For In	terconne	ection Customer-C	Owned	Transforme	er)		
What is the phase configuration of the transformer?					□ Single Phase □ Three Phase		
Size (kVA):	Transformer Imp		oedance (%): On kV		On kVA	A Base:	
Transformer Volts: (Primary)	Delta:		Wye	Wye:		Wye Grounded:	
Transformer Volts: (Secondary)	Delta:		Wye	Wye:		Wye Grounded:	
Transformer Volts:	Delta:	Delta:		Wye:		Wye Grounded:	
(Tertiary)							
Transformer Fuse Data (I	For Interd	connection Custor	ner-O	wned Fuse)			
Manufacturer:	Туре:		Size:		Speed:		
Interconnecting Circuit Breaker (For Interconnection Customer-Owned Circuit Breaker)							
Manufacturer:			Туре:				
Load Rating (in Amps): Inter		Interrupting Rat	Interrupting Rating (In Amps):		Trip Speed (Cycles):		
Interconnection Protecti	ve Relays	(For Microproce	ssor Co	ontrolled Re	elays)		
Setpoint Function Mini				num Maximum			

Interconnection Protective Relays (For Relays with Discrete Components)						
Manufacturer:	Туре:		Style/Catalog No.:		Proposed Setting:	
Manufacturer:	Туре:		Style/Catalog No.:		Proposed Setting:	
Manufacturer:	Туре:		Style/Catalog No.:		Proposed Setting:	
Manufacturer:	Туре:	Туре:		.:	Proposed Setting:	
Manufacturer:	Туре:		Style/Catalog No.:		Proposed Setting:	
Current Transformer Data:						
Manufacturer:	Туре:	Accur	Accuracy Class:		Proposed Ratio Connection:	
Manufacturer:	Туре:	Accuracy Class:		Proposed Ratio Connection:		
Potential Transformer Data:						
Manufacturer:	Type: Accur		acy Class:	Proposed Ratio Connection:		
Manufacturer:	Type: Accur		acy Class:	Proposed Ratio Connection:		

For Office Use Only			
Application ID:			
Date Received:	Application Fee Received:	□ Yes	□ No
Date Completed:			

Interconnection Agreement *

Proposed DER interconnections that are also deemed Qualifying Facilities less than 40 kW AC under Minnesota Statutes §216B.164 are eligible to sign the Utility's Uniform Contract for Cogeneration and Small Power Production Facilities. Included in this agreement are payment terms for excess power generated by the proposed DER system the Utility may purchase. In lieu of the Utility's Uniform Contract for Cogeneration and Small Power Production Facilities, the Interconnection Customer may choose to instead sign the Municipal Minnesota Interconnection Agreement (MMIA).

The Interconnection Customer requests an MMIA to be executed in lieu of the		
Utility's Uniform Contract for Cogeneration and Small Power Production	🗆 Yes	🗆 No
Facilities.		

Disclaimers – Must be completed by Interconnection Customer *					
	Initials				
The Interconnection Customer has opportunities to request a timeline extension					
during the interconnection process. Failure by the Interconnection Customer to					
meet or request an extension for a timeline outlined in the Interconnection Process					
could result in a withdrawn queue position and the need to re-apply.					
Propose DER interconnection to the Utility's distribution submitted under the Fast					
Track Process may be moved into the Study Process if engineering screens are failed					
during the Interconnection Application review.					

Application Signature – Must be completed by Interconnection Customer *

I designate the individual or company listed as my Application Agent to serve as my agent for the purpose of coordinating with the Area EPS Operators on my behalf throughout the interconnection process.

Initials

I hereby certify that, to the best of my knowledge, the information provided in this Application is true, and that I have appropriate Site Control in conformance with the Interconnection Process. I agree to abide by the Municipal Minnesota Distributed Energy Resource Interconnection Process (M-MIP) and will inform the Utility if the proposed DER system changes from the details listed in this Interconnection Application.

Applicant Signature:

Date:

Please print clearly or type and return completed along with any additional documentation

Brownton Electric Utility

Information Required on One-Line Diagram

An Interconnection Application must include a site electrical one-line diagram showing the configuration of all Distributed Energy Resource equipment, current and potential circuits, and protection and control schemes. The one-line diagram shall include:

- Applicant name.
- Application ID.
- Installer name and contact information.
- Address where DER system will be installed must match application address.
 - Be sure to list the address for the protective interface equipment if the protective interface equipment is located at a different address than the DER system.
- Correct positions of all equipment, including but not limited to panels, inverter, and DC/AC disconnect. Include distances between equipment, and any labeling found on equipment.

This one-line diagram must be signed and stamped by a Minnesota licensed Professional Engineer if the Distributed Energy Resource is larger than 20 kW (if uncertified) and 250 kW (if certified.)